

Soundproof Products


HAGIHARA INDUSTRIES INC.
INTERNATIONAL DEP.



< Advantages of Snapfinger >

1. **【Lightness】** (795g/m²)
2/3 weight compared with PVC products.
2. **【Cold Resistance】**
Polyorefin is good at use under cold environment.
3. **【Flame Retardant】**
Certificated by JFRA(Japan Retardant Association).
4. **【Size Precision】**
Manufactured by accurate machine and skilled people.

< Sound Blocking Test >



| Distance | 5m | 10m | 20m | 30m |
|----------------|-------------|-------------|-------------|------------|
| No sheets | 94dB | 89dB | 78dB | 72dB |
| Snapfinger | 78dB(-16dB) | 75dB(-14dB) | 68dB(-10dB) | 64dB(-8dB) |
| Snapfinger Eco | 79dB(-15dB) | 76dB(-13dB) | 69dB(-9dB) | 65dB(-7dB) |

< Specification >

Size

| Spec size | Actual size | Eyelet Pitch |
|-------------|---------------|--------------|
| 1.8m x 3.4m | 1.91m x 3.55m | Approx. 30cm |
| 1.8m x 5.1m | 1.91m x 5.25m | Approx. 30cm |

Property

| Tensile Strength | | Elongation | | Tear Strength | |
|------------------|-------------|------------|---------|---------------|---------|
| Warp(N/3cm) | Weft(N/3cm) | Warp(%) | Weft(%) | Warp(N) | Weft(N) |
| 1,400 | 1,700 | 15 | 16 | 450 | 450 |

